Safety data-sheet (91/155 EEC) Printed 19.10.2002

Revision 06.09.2002 (GB) Version 1.2

**Lithofin WAX-OFF** 

#### 1. Identification of the substance/preparation

Name of product Lithofin WAX-OFF

Manufacturer/distributor CASDRON Enterprises Ltd.

Wood End, Prospect Road, Alresford Hampshire SO24 9QF

Phone 0 19 62 73 21 26, Fax 0 19 62 73 53 73

Advice Technical Department

Phone 0 19 62 73 21 26

Recommended intended purpose(s)

Cleaner

## 2. Composition/information on ingredients

#### **Chemical characterization**

Solvent based cleaner

Hazardous ingredients

| CAS-No.      | EC-No.    | Name   | [% weight] | Classification         |
|--------------|-----------|--|------------|------------------------|
| -            |           | anionic surfactants                          | > 5        | Xi R 38-41             |
| 064742-82-1  | 265-185-4 | Naphtha (petroleum), hydrodesulfurized heavy | > 25       | Carc.Cat.2 R45; Xn R65 |
| 064742-95-6  | 265-199-0 | Solvent naphtha (petroleum), light arom.     | > 25       | Carc.Cat.2 R45; Xn R65 |
| Additional a |           |  |            |                        |

#### 3. Special hazards information for man and environment

#### R-phrases

10 Flammable.

36/37 Irritating to eyes and respiratory system.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.
Vapours may cause drowsiness and dizziness.

# 4. First aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

### In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

### In case of skin contact

In case of contact with skin wash off immediately with soap and water.

### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

#### In case of ingestion

Do not induce vomitting.

If swallowed by mistake drink plenty of water and seek medical treatment.

# 5. Fire-fighting measures

### Suitable extinguishing material

Foam

Dry powder

Carbon dioxide

cand

#### Extinguishing material that may not be used for safety reasons

Full water jet

# Special exposure hazards arising from the substance, combustible products or resulting gases

In case of fire formation of dangerous gases possible.

Printed 19.10.2002

Revision 06.09.2002 (GB) Version 1.2

#### **Lithofin WAX-OFF**

#### 6. Accidental release measures

#### **Personal precautions**

Ensure adequate ventilation.
Use personal protective clothing.

#### **Environmental precautions**

Do not discharge into the drains/surface waters/groundwater.

### Methods for cleaning up/taking up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder).

# 7. Handling and storage

# Advice on safe handling

Use only in thoroughly ventilated areas.

Use solvent-resistant equipment.

Take the usual precautions when handling with chemicals.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Take precautionary measures against static discharges.

## Further information on storage conditions

Keep container dry, tightly closed and store at cool and aired place.

# 8. Exposure controls / personal protection

| CAS-No. | with occupational exposure limits to be monitore  Name | Code | [mg/m³] | [ml/m³] | Remark              |
|---------|--|------|---------|---------|---------------------|
|         | naphtha (petroleum), arom. 1-25 %                      | MAK  | 500     | 100     | 31, TRGS 901-<br>72 |
|         | naphtha (petroleum), arom. > 25 %                      | MAK  | 200     | 50      | 31, TRGS 901-<br>72 |

### **Respiratory protection**

Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, filter A

#### **Hand protection**

chemical-resistant gloves

### Eye protection

safety goggles

#### **General protective measures**

Avoid contact with eyes and skin

### Hygiene measures

At work do not eat, drink and smoke.

## 9. Physical and chemical properties

| Form<br>liquid             | <b>Colour</b> colourless, clear |             |    | <b>Odour</b><br>aromatic |        |  |
|----------------------------|---------------------------------|-------------|----|--------------------------|--------|--|
| Data relevant for safety   | Value                           | Temperature | at | Method                   | Remark |  |
| pH value in delivery state | not applicable                  |             |    |                          |        |  |
| starts to boil             | > 130 °C                        |             |    |                          |        |  |
| Flash point                | > 23 °C                         |             |    |                          |        |  |
| Lower explosion limit      | ca. 0,6 Vol-%                   |             |    |                          |        |  |

Printed 19.10.2002

Revision 06.09.2002 (GB) Version 1.2

## **Lithofin WAX-OFF**

|                          | Value         | Temperature | at | Method        | Remark      |
|--------------------------|---------------|-------------|----|---------------|-------------|
| Upper explosion limit    | ca. 8 Vol-%   |             |    |               |             |
| Density                  | ca. 0,8 g/cm3 |             |    |               |             |
| Solubility in water      |               |             |    |               | emulsifiabl |
| Viscosity 1 Outflow time | < 30 s        |             |    | ISO 2431/3 mm |             |

# 10. Stability and reactivity

### **Conditions to avoid**

No hazardous reactions known.

# 11. Toxicological information

# Acute toxicity/Irritability/Sensitization

|                        | Value/Validation | Species | Method | Remark |
|------------------------|------------------|---------|--------|--------|
| LD 50 acute oral       | not determined   |         |        |        |
| LD 50 acute dermal     | not determined   |         |        |        |
| LC 50 acute inhalation | not determined   |         |        |        |

# 12. Ecological information

Data on elimination (persistence and degradability)

|                                | Elimination rate | Method of analysis | Method | Validation |  |
|--------------------------------|------------------|--------------------|--------|------------|--|
| Physico-chemical degradability | not determined   |                    |        |            |  |
| Biological                     | not determined   |                    |        |            |  |

# 13. Disposal considerations

degradability

Waste code No. Name of waste

07 06 04\* other organic solvents, washing liquids and mother liquors

### Recommendations for the product

In accordance with regulations for special waste, must be taken to a special waste disposal.

### Recommendations for packaging

Totally emptied packaging may be taken for recycling.

## 14. Transport information

# Land and inland navigation transport (ADR/RID/GGVS/GGVE/ADNR)

**Identification** Flammable liquid, n.o.s. (White spirit)

 UN-No.
 1993

 Class
 3

 PG
 II

 Hazard No.
 33

Safety data-sheet (91/155 EEC) Printed 19.10.2002

Revision 06.09.2002 (GB) Version 1.2

**Lithofin WAX-OFF** 

Marine transport IMDG/GGV See

**Proper shipping name** Flammable liquid, n.o.s., (White Spirit)

 UN-No.
 1993

 Class
 3

 PG
 II

 Marine pollutant
 No

 EmS-No.
 3-07

Air transport ICAO/IATA

**Proper shipping name** Flammable liquid, n.o.s., (White Spirit)

 UN/ID-No.
 1993

 Class
 3

 PG
 II

#### 15. Regulatory information

#### Remarks for classification

The product is classified and labelled in accordance with EC directives.

### Classification

Xn Harmful

N Dangerous for the environment

R-phrases

10 Flammable.

36/37 Irritating to eyes and respiratory system.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed. 67 Vapours may cause drowsiness and dizziness.

S-phrases

2 Keep out of the reach of children.

Do not breathe vapour.Avoid contact with skin.

62 If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

#### Hazardous ingredients for labeling

Solvent naphtha (petroleum), light arom., Naphtha (petroleum), hydrodesulfurized heavy

### **National regulations**

Classification according to VbF/ All

remarks

Water hazard class 2 VwVwS (17. 05. 1999)

#### 16. Other information

#### **Further information**

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the poperties of the product.

### Wording of the R-phrases specified in chapter 2 (not the classification of the formulation!)

R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

R 45 May cause cancer.

R 65 Harmful: may cause lung damage if swallowed.